

Amendments to the Claims

Claims 1-3(Cancelled).

Claim 4 (Currently amended): ~~A method~~Method for making a first and a second grille inserts~~insert~~ for attachment over the first and second vehicle grilles of first and second vehicles~~a first grille of a first vehicle and second grille of a second vehicle~~ respectively, the first and second vehicle grilles each having first and second vehicle grille perimeter edges, respectively, the method comprising:
taking a blank of sheet metal having a first perimeter edge extending there around;
cutting an opening in the blank of sheet material, the opening following a predetermined pattern, so as to form a first grille insert having the first perimeter edge and having an opening therein that is shaped in the predetermined pattern, and a second grille insert having a second perimeter edge shaped and sized in the predetermined pattern;
attaching the first grille insert to the first vehicle grille;
attaching the second grille insert to the second vehicle grille, the second grille insert being smaller than the second vehicle grille.

Claim 5 (Currently amended): A method according to claim 4 wherein the first perimeter edge of the first grille insert is approximately the same size and shape as the size and shape of the first vehicle grille and the method comprises registering the first grille insert with the first vehicle grille before attaching the first grille insert to the first vehicle grille.

Claim 6 (Original): A method according to claim 4 and further comprising cutting at least a second opening the second grille insert.

Claim 7 (Original): A method according to claim 4 and wherein the step of attaching the second grille insert to the second vehicle grille further comprises positioning the second grill insert over the second vehicle grille so that the second perimeter edge of the second grille insert is spaced inwardly from the second vehicle grille perimeter.

Claim 8 (New): Method for making an interior grille insert and an exterior grille insert for a first vehicle having a first grille and a second vehicle having a second grille, the method comprising:

forming a grille blank having a grille blank perimeter;

forming an opening following a predetermined pattern in the grille blank so as to separate the single grille blank into the interior grille insert shaped in the predetermined pattern and the exterior grille insert having the opening therein;

attaching the interior grille insert to the first grille; and

attaching the exterior grille insert to the second grille.

Claim 9 (New): The method according to claim 8 and further comprising the second grill having a predetermined shaped and sized perimeter, the external grille having an external perimeter that is approximately the same size and shape of the predetermined shaped and sized perimeter of the second grill, the method further comprising registering the external perimeter of the external grille insert with the predetermined shaped and sized perimeter of the second grille before attaching the exterior grille insert to the second grille.

Claim 10 (New): Method for applying a grille insert to a vehicle having a vehicle grille including an exterior vehicle grille surface, a manufacturer's logo being on the exterior vehicle grille surface, the method comprising:

taking a grille blank made of a plate shaped material;

removing a grille insert smaller than the vehicle grille from the plate shaped material of the grille blank so as to make a grille blank opening in the grille blank;

making a logo opening in the grille insert that is at least as large in size as the manufacturer's logo;
registering the logo opening over the manufacturer's logo on the exterior vehicle grille surface so that the manufacturer's logo is visible through the logo opening;
attaching the grille insert in superimposed relation over the vehicle grille so that the manufacturer's logo appears through the logo opening.

Claim 11 (New): The method of claim 10 and further comprising making the logo opening the same size and shape of the perimeter of the manufacturer's logo.

Claim 12 (New): The method of claim 10 and further comprising attaching the grille blank to a second vehicle grille of a second vehicle.